









Item	Qty	Description	
2	1 ea	INDUCTION RANGE, COUNTERTOP CookTek Model No. 601801 (MC2502S) Heritage Induction Range, countertop, (2) burners (side to side), glass-ceramic top, individual burner control knobs, microprocessor with (20) power cook settings & auto shut-off, self-diagnostics, automatic pan detection, LED display, integral cooling fan, stainless steel housing, 6 ft. cord, 200-240v/50/60/1-ph, 5000 watts, 22.0 amps, cETLus, NSF, CE, Made in USA	<Alternate>
	1 ea	Two year limited parts and labor warranty in US/Canada only and 7 year enrollment in the CookTek Advanced Replacement Program (ARP)	<Alternate>
	1 ea	Destination - US United States or Canada, NEMA 6-30P	<Alternate>
3	1 ea	WORK TABLE, STAINLESS STEEL TOP Advance Tabco Model No. MSLAG-302-X Work Table, 24"W x 30"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF	
4	1 ea	THREE (3) COMPARTMENT SINK Advance Tabco Model No. FC-3-1620-24RL Fabricated Sink, 3-compartment, 24" right & left drainboards, bowl size 16" x 20" x 14" deep, 16 gauge 304 stainless steel, tile edge splash, rolled edge, 8" OC faucet holes, stainless steel legs with adjustable side cross-bracing, 1" adjustable stainless steel bullet feet, overall 26" F/B x 96" L/R, NSF	
	1 ea	Prerinse faucets	
	1 ea	K-116 T&S Heavy Duty Pre-Rinse Faucet, 8" OC, splash mounted, includes: spray valve & hose, riser, wall bracket, overhead spring, lead free	
	1 ea	K-117-TS Pre-Rinse Add-A-Faucet, 12" swing spout, fits K-115 & K-116, lead free	
	3 ea	K-5 Drain, twist operated, 2" NPT & 1-1/2" IPS outlet connections	
	3 ea	K-4 Support Bracket, for lever waste drain handle, (1) support required for each lever drain	
	1 ea	Wall mounted	
	2 ea	DT-6R-36 Drainage Shelf, wall mount, tubular design, 36"W x 15"D x 8"H, stainless steel, KD	
	1 ea	DT-6R-72 Drainage Shelf, wall mount, tubular design, 72"W x 15"D x 8"H, stainless steel, KD	
5		SPARE NO.	

Item	Qty	Description
6	1 ea	<p>WORK TABLE, STAINLESS STEEL TOP</p> <p>Advance Tabco Model No. MSLAG-245-X Work Table, 60"W X 24"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF</p> 
	1 st	TA-25S-4-X Casters, 5" diameter, set of 4 (2 with brakes) with stainless steel legs for standard working height of 35-1/2"
	1 st	TA-25B Upgrade standard casters to have brakes on all wheels (upgrade only, must order casters separately)
7	1 ea	<p>TRASH RECEPTACLE, INDOOR</p> <p>Rubbermaid Commercial Products Model No. 1956187 Packed 4 ea Slim Jim® Container, 23 gallon, 22"L x 11"W x 30"H, with venting channels, molded-in handles, general purpose waste, open type without lid, high-impact plastic construction, brown, Made in USA</p> 
8	1 ea	<p>MOP SINK</p> <p>John Boos Model No. PBMS2424-6 Mop Sink, floor mounted, 28-5/8"W x 27-3/8"D x 10"H overall size, 24"W x 24" front-to-back x 6" deep compartment, 3-1/2" diameter drain, marine edge on front & sides, tile edge on rear, 16/300 stainless steel construction, NSF</p> 
	1 ea	PBF-SS-6 Service Sink Faucet, vacuum breaker nozzle with 3-4" garden hose thread, pail hook, top support arm, 1/2" NPT female flanged, with adjustable inlet with screwdriver stop
	1 ea	PB-MHS-B Bracket & Hose
	1 ea	PB-MSS824 Utility Shelf, wall-mounted, 24"W x 8"D, Stallion Safety Edge front, 1-1/2" riser on sides & rear, includes hooks & (2) mop/broom holder with locking cam, 16/300 stainless steel, KD
	1 ea	MSWC2820-27LR Mop Sink Wainscoting, rear, left & right, 32-7/8"L x 23-1/4"D x 27"H, 16 ga. stainless steel
9		SPARE NO.
10	1 ea	<p>HAND SINK</p> <p>Advance Tabco Model No. 7-PS-23-EC-1X Special Value Hand Sink, wall mounted, 9" wide x 9" front-to-back x 5" deep bowl, 20 gauge 304 stainless steel, splash mounted faucet, 1-1/2" crumb cup strainer, NSF</p> 

Item	Qty	Description
11	1 ea	<p>MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR</p> <p>True Manufacturing Co., Inc. Model No. TFP-72-30M-D-2 Sandwich/Salad Unit, three-section, rear mounted self-contained refrigeration, stainless steel insulated cover, 8"D x 1/2" thick cutting board, (2) solid hinged doors, (2) drawers, each drawer accommodates (1) 12" x 20" x 6"D pan & (3) 1/9 size or (6) 1/6 size & (3) 1/9 size pans per drawer (NOT included), (4) PVC coated adjustable wire shelves, includes: (30) 1/6 size clear polycarbonate insert pans (top), stainless steel front/top/sides, aluminum back, aluminum interior with stainless steel floor, 2-1/2" castors, 1/3 HP, 115v/60/1-ph, 5.1 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA</p> <p>1 ea Drawers left section(s); doors right section(s), standard</p> <p>1 ea Warranty - 3 year parts and labor, please visit www.Truemfg.com for specifics</p> <p>1 ea Warranty - 5 year compressor (self-contained only), please visit www.Truemfg.com for specifics</p> <p>1 ea Self-contained refrigeration standard</p>
		
12	1 ea	<p>SHELVING, WALL MOUNTED</p> <p>Advance Tabco Model No. WS-18-72 Shelf, wall-mounted, 72"W x 18"D, 1-5/8" bullnose front edge, 1-1/2"H rear up-turn, 18/430 satin finish stainless steel, NSF</p>
		
12	1 ea	<p>SHELVING, WALL MOUNTED</p> <p>Advance Tabco Model No. WS-15-72 Shelf, wall-mounted, 72"W x 15"D, 1-5/8" bullnose front edge, 1-1/2"H rear up-turn, 18/430 satin finish stainless steel, NSF</p>
		
13	1 ea	<p>WORK TABLE, STAINLESS STEEL TOP</p> <p>Advance Tabco Model No. SFLAG-248-X Work Table, 96"W x 24"D, 16 gauge 430 stainless steel top with 1-1/2"H rear up-turn, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF</p>
		
14	1 ea	<p>CONVEYOR OVEN, ELECTRIC</p> <p>Star Model No. 314HX Proveyor® Conveyor Oven, electric, analog speed control, independent controls for top & bottom quartz sheathed heater elements, adjustable inlet/exit openings 1-1/2" - 4", 14" W belt, left-to-right conveyor operation, stainless steel construction, cULus, UL EPH Classified, Made in USA</p> <p>1 ea 1 year parts & labor warranty, standard</p> <p>1 ea (314HX-V02) 208v/60/1-ph, 5.4 kW, 26.4 amps, cord, NEMA 6-50P</p>
		

Item	Qty	Description	
14	1 ea	CONVEYOR OVEN, ELECTRIC Star Model No. 214HX Miniveyor® Conveyor Oven, electric, countertop, analog speed control, independent controls for top & bottom quartz sheathed heater elements, adjustable inlet/exit openings 1-1/2" - 3", 14.31" W belt, conveyor left-to-right standard, stainless steel construction, cULus, UL EPH Classified, Made in USA	<Alternate>
	1 ea	1 year parts & labor warranty, standard	<Alternate>
	1 ea	(214HXA-V02) 208v/60/1-ph, 4.0 kW, 19.3 amps, cord, NEMA 6-30P	<Alternate>
	1 ea	Conveyor belt left to right, standard	<Alternate>
15	1 ea	SANDWICH / PANINI GRILL Star Model No. GX20IG Grill Express™ Two-Sided Grill, electric, 20"W x 10"D cooking surface, fixed lower grill, (2) hinged upper grills, grooved iron grill plates, thermostatic control, accommodates product up to 3" thick, 0.75" splash guard on bottom platen, stainless steel front & sides, cULus, UL EPH Classified	
	1 ea	1 year parts & labor warranty, standard	
	1 ea	208/240v/60/1-ph, 2.7/3.6 kW, 13.0/15.0 amps, NEMA 6-20P (Quick-Ship), standard	
16	1 ea	REACH-IN REFRIGERATOR True Manufacturing Co., Inc. Model No. T-49-HC Refrigerator, reach-in, two-section, (2) stainless steel doors, (6) PVC coated adjustable wire shelves, interior lighting, stainless steel front, aluminum sides, aluminum interior with stainless steel floor, 4" castors, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 5.4 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR®	
	1 ea	Self-contained refrigeration standard	
	1 ea	Warranty - 7 year compressor (self-contained only), please visit www.Truemfg.com for specifics (updated warranty sheet pending from True)	
	1 ea	Warranty - 3 year parts and labor, please visit www.Truemfg.com for specifics	
	1 ea	Left door hinged left, right door hinged right standard	
	1 ea	4" stem castors, standard (adds 5" to OA height)	

Item	Qty	Description
17	1 ea	<p>REACH-IN FREEZER</p> <p>True Manufacturing Co., Inc. Model No. T-49F-HC Freezer, reach-in, two-section, -10°F, (2) stainless steel doors, (6) PVC coated adjustable wire shelves, interior lighting, stainless steel front, aluminum sides, aluminum interior with stainless steel floor, 4" castors, R290 Hydrocarbon refrigerant, 1 HP, 115v/60/1-ph, 9.6 amps, NEMA 5-15P, Made in USA, cULus, UL EPH Classified, ENERGY STAR®</p> <p>1 ea Self-contained refrigeration standard</p> <p>1 ea Warranty - 7 year compressor (self-contained only), please visit www.Truemfg.com for specifics (updated warranty sheet pending from True)</p> <p>1 ea Warranty - 3 year parts and labor, please visit www.Truemfg.com for specifics</p> <p>1 ea Left door hinged left, right door hinged right standard</p> <p>1 ea 4" stem castors, standard (adds 5" to OA height)</p>
18	1 ea	<p>ICE MAKER, CUBE-STYLE</p> <p>Hoshizaki Model No. KMD-530MAJ Ice Maker, Cube-Style, 30"W, air-cooled, self-contained condenser, production capacity up to 501 lb/24 hours at 70°/50° (442 lb AHRI certified at 90°/70°), crescent cube style, stainless steel finish, R-404A refrigerant, 115v/60/1-ph, 12.0 amps, NSF, UL</p> <p>1 ea Warranty: 3-Year parts & labor on entire machine</p> <p>1 ea Warranty: 5-Year parts & labor on evaporator</p> <p>1 ea Warranty: 5-Year parts on compressor & air-cooled condenser</p> <p>1 ea BD-500SF Ice Bin, 30"W, top-hinged front-opening door, 500-lb ice storage capacity, for top-mounted ice maker, stainless steel exterior, painted legs included, protected with H-GUARD Plus Antimicrobial Agent, fits 24" - 24-1/2" deep ice machine without top kit extension, ETL, ETL-Sanitation</p> <p>1 ea Warranty: 3-Year parts & labor for bin</p> <p>1 ea SP-5429 Bin Door Catch</p> <p>1 pk LP-6 LEG Leg Package, (4) x 6" stainless steel legs</p>

Item	Qty	Description
19	1 ea	<p>OPEN DISPLAY MERCHANDISER</p>  <p>Turbo Air Model No. TOM-40MB-SP(-A)-N Vertical Open Display Merchandiser, mid-height, 8.3 cu. ft. capacity, 39-1/8"W x 28-1/8"D x 60-7/8"H, self-cleaning condenser device, open front, tempered glass front shield & side walls, (3) adjustable stainless steel shelves in 1" increments, LED lights, hot gas condensate system, energy saving night curtain standard, specify interior, black exterior, front air intake & rear air discharge, R290 Hydrocarbon refrigerant, (2) 3/4 HP, 115v/60/1-ph, 15.5 amps, cord with NEMA 5-20P, CSA-Sanitation, cCSAus</p> <p>1 ea Note: Contact factory representative for parts & accessories discounts 1 ea 2 year parts & labor warranty, standard 1 ea Additional 3 year compressor warranty (5 year total), standard 1 ea Self-cleaning condenser device equipped, standard 1 ea Black finish 1 ea SP-A: black coated interior with mirrored sides for maximized display effects 3 ea P4000000ZK Price tag channel, 36-1/2"W, for TOM-40L/LB, TOM-40MW(B)-N</p>
20	1 ea	<p>DISPLAY CASE, DIPPING ICE CREAM</p>  <p>Turbo Air Model No. TIDC-47W-N Ice Cream Dipping Cabinet, 47"W, (8) 3 gallon tub capacity, (4) storage, (2) standard ABS night covers, (2) stainless steel shelves, LED lighting for interior canopy, manual defrost, PE coated removable magnetic frost shields, white exterior color, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 4.6 amps, NEMA 5-15P, cETLus, ETL-Sanitation</p> <p>1 ea Note: Contact factory representative for parts & accessories discounts 1 ea 2 year parts & labor warranty, standard 1 ea Additional 3 year compressor warranty (5 year total), standard 1 ea 30265H0100 2-1/2" Caster, 1/2" dia. & 13 TPI, 3" height (ea)</p>